

ERRATA

ERRATA

Errata Version 0.3
August 25, 2017

FOR

TCG ACPI Specification

Specification Version 1.20
Revision 8
January 19th, 2017

Contact: admin@trustedcomputinggroup.org

TCG Published

Copyright © TCG 2017

Disclaimers, Notices, and License Terms

THESE ERRATA ARE PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Without limitation, TCG and its members and licensors disclaim all liability, including liability for infringement of any proprietary rights, relating to use of information in this specification and to the implementation of this specification, and TCG disclaims all liability for cost of procurement of substitute goods or services, lost profits, loss of use, loss of data or any incidental, consequential, direct, indirect, or special damages, whether under contract, tort, warranty or otherwise, arising in any way out of use or reliance upon this specification or any information herein.

This document is copyrighted by Trusted Computing Group (TCG), and no license, express or implied, is granted herein other than as follows: You may not copy or reproduce the document or distribute it to others without written permission from TCG, except that you may freely do so for the purposes of (a) examining or implementing TCG specifications or (b) developing, testing, or promoting information technology standards and best practices, so long as you distribute the document with these disclaimers, notices, and license terms.

Contact the Trusted Computing Group at www.trustedcomputinggroup.org for information on specification licensing through membership agreements.

Any marks and brands contained herein are the property of their respective owners.

Table of Contents

1. Introduction	4
2. Errata	5
2.1 Errata in Section 7.3.1, Table 9, Start Method Specific Parameters for ARM SMC	5

1. Introduction

This document describes errata and clarifications for the TCG ACPI Specification v1.20 revision 8 as published. The information in this document is likely – but not certain – to be incorporated into a future version of the specification. Suggested fixes proposed in this document may be modified before being published in a later TCG Specification. Therefore, the contents of this document are not normative and only become normative when included in an updated version of the published specification. Note that since the errata in this document are non-normative, the patent licensing rights granted by Section 16.4 of the Bylaws do not apply.

2. Errata

2.1 Errata in Section 7.3.1, Table 9, Start Method Specific Parameters for ARM SMC

The description in the “SMC Function ID” row is very generic. A user of this StartMethod may need more information to correctly implement the SMC. The description should be appended with the following text:

Firmware shall implement the SMC call as an SMC32 or SMC64 Fast Call, compliant with the ARM SMC Calling Convention [<http://infocenter.arm.com/help/index.jsp?topic=/com.arm.doc.den0028b/index.html>]. The call takes no parameters, no client ID, no Secure OS ID, and no Session ID. The call shall return zero. The function ID shall be allocated from a Service Call Range over which the platform vendor has authority.